L Number	Hits	Search Text	DB	Time stamp
- Number	40	709/227.ccls. and @ad<19990930 and	USPAT;	2003/12/12 11:00
		709/226.ccls.	US-PGPUB	
-	755	709/227.ccls. and @ad<19990930	USPAT;	2002/05/01 16:19
			US-PGPUB	
-	6	709/227.ccls. and @ad<19990930 and MSS	USPAT;	2002/05/01 16:34
			US-PGPUB	
-	239	709/227.ccls. and @ad<19990930 and count\$3	USPAT;	2002/05/01 16:34
		3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	US-PGPUB	2002 (12 (11 12 16
-	107	709/227.ccls. and @ad<19990930 and counter	USPAT;	2003/12/11 17:16
	^	multiple adj session adj server	US-PGPUB USPAT;	2002/05/01 16:50
-	0	multiple adj session adj selver	US-PGPUB	2002/03/01 10.30
_	0	max adj session adj server and @ad<19990930	USPAT;	2002/05/01 16:50
-	J	max adj bebbien adj berver and sadvissions	US-PGPUB	2002, 00, 02 20100
-	0	max adj sessions adj server and @ad<19990930	USPAT;	2002/05/01 16:51
			US-PGPUB	
-	410	709/223-229.ccls. and counter and group	USPAT;	2002/05/02 10:03
1			US-PGPUB	
-	361	709/223-229.ccls. and counter and group and	USPAT;	2002/05/02 17:59
		@ad<19990930	US-PGPUB	0000/05/00 55 55
-	71	"5774670"	USPAT;	2002/05/02 18:00
	_	5774670 mm	US-PGPUB	2002/05/02 18:00
-	1	5774670.pn.	USPAT; US-PGPUB	2002/05/02 18:00
<u>-</u>	1	6253236.pn.	USPAT;	2002/05/06 10:27
-	_	6233236.pm.	US-PGPUB	2002,03,00 10.2.
_	866	license and server and @ad<19990930	USPAT;	2002/05/06 10:40
			US-PGPUB	2332, 33, 33
-	492	license and server and @ad<19990930 and	USPAT;	2002/05/06 10:40
		group and user	US-PGPUB	
-	405		USPAT;	2002/05/06 10:41
1		group and user and database	US-PGPUB	
-	324		USPAT;	2002/05/06 10:43
	0.51	group and user and database and unique	US-PGPUB	2002/05/06 10 42
-	261		USPAT;	2002/05/06 10:43
	74	group and user and database and unique (network adj access adj server) and	US-PGPUB USPAT;	2002/05/07 11:43
-	/4	@ad<19980930	US-PGPUB	2002/03/07 11:43
_	51	(network adj access adj server) and	USPAT;	2002/05/07 16:11
	-	@ad<19980930 and port	US-PGPUB	
-	13	l .	USPAT;	2002/05/07 16:11
		@ad<19980930 and periodic	US-PGPUB	
-	1	5671354.pn.	USPAT;	2002/05/09 09:24
			US-PGPUB	
-	297	710/240.ccls. and @ad<19990930	USPAT;	2002/09/18 18:30
		700/00E gala and sod 10000000	US-PGPUB	2002/09/26 10:10
-	510	709/225.ccls. and @ad<19990930	USPAT; US-PGPUB	2002/08/26 19:10
_	2	6078955.uref. and @ad<19990930	USPAT;	2002/09/18 18:37
	2		US-PGPUB	
-	3	709/225.ccls. and (maximum near group) and	USPAT;	2002/09/18 18:37
		@ad<19990930	US-PGPUB	, , , , , ,
-	145	709/223-226.ccls. and @ad<19990930 and user	USPAT;	2002/09/20 09:55
		near group	US-PGPUB	
-	34	709/223-226.ccls. and @ad<19990930 and user	USPAT;	2002/09/20 11:23
]		near group and counter	US-PGPUB	0000/00/55 55 55
-	1	6078955.pn.	USPAT;	2002/09/20 11:23
	_	200/+1- and /ugam2	US-PGPUB	2002/10/01 00 00
-	0	709/*.ccls. and (user near3 group) and counter and access	USPAT; US-PGPUB	2002/10/01 08:22
_	0	counter and access 709/*.ccls. and (user near3 group) and	USPAT;	2002/10/01 08:22
		counter and access\$3	US-PGPUB	2302/10/01 00.22
-	0	709/*.ccls. and user and group and counter	USPAT;	2002/10/01 08:23
	Ĭ	and access\$3 and @ad<19990930	US-PGPUB	
-	1201	709/\$.ccls. and user and group and counter	USPAT;	2002/10/01 08:23
		and access\$3 and @ad<19990930	US-PGPUB	
	116	709/\$.ccls. and (user\$1 near3 group) and	USPAT;	2002/10/01 08:24
		counter and (access\$3 near3 user\$1) and	US-PGPUB	
		@ad<19990930	<u> </u>	



		•	•	
	49	709/\$.ccls. and (user\$1 near3 group) and	USPAT;	2002/10/01 08:57
		counter and (access\$3 near3 user\$1) and	US-PGPUB	
		@ad<19990930 and (network near access\$3)		
_	1	5946686.pn.	USPAT;	2002/10/01 08:58
	_	•	US-PGPUB	
_	1	6061740.pn.	USPAT;	2002/10/01 09:02
	_		US-PGPUB	
	1	6192405.pn.	USPAT;	2002/10/01 09:07
		0132.03.p	US-PGPUB	=====================================
	1870	707/10.ccls. and @ad<19990930	USPAT;	2002/10/01 09:08
	1070	707/10.cc13. and sad<13330330	US-PGPUB	2002,10,01 05.00
	65	707/10.ccls. and @ad<19990930 and (access\$3	USPAT;	2002/10/01 10:44
	65	near3 server) and (group near3 user\$1) and	US-PGPUB	2002/10/01 10:44
	ļ	(network near3 access\$3)	05-20205	
	1	, .	USPAT;	2002/10/01 13:36
	1	6144959.pn.	US-PGPUB	2002/10/01 13:36
	_	6070055		2002/30/01 12:26
	1	6078955.pn.	USPAT;	2002/10/01 13:36
		5440500	US-PGPUB	0000/10/00 10 16
	1	6442608.pn.	USPAT;	2002/10/02 10:46
	_		US-PGPUB	/ / / /
	1	6073176.pn.	USPAT;	2002/10/02 10:49
			US-PGPUB	
	577		USPAT;	2002/10/02 10:51
	1	server") and (\$4operational or broke\$1 or	US-PGPUB	
		malfunction\$3 or unaccessible)		
	3		USPAT;	2002/10/02 10:59
		server") near3 (\$4operational or broke\$1 or	US-PGPUB	
		malfunction\$3 or unaccessible)		
	4		USPAT;	2002/10/02 11:02
		server") near3 (periodic\$4 or interval)	US-PGPUB	
	9	@ad<19990930 and ("access server" or "edge	USPAT;	2002/10/02 11:07
		server") near5 (periodic\$4 or interval)	US-PGPUB	
	1	6061740.pn.	USPAT;	2002/10/02 11:07
			US-PGPUB	
	48	(US-6073176-\$ or US-6272538-\$ or	USPAT;	2002/10/02 11:09
		US-6349334-\$ or US-6253240-\$ or US-6253236-\$	US-PGPUB	
		or US-6243716-\$ or US-6230195-\$ or		
		US-6205478-\$ or US-6192405-\$ or US-6151688-\$	1	
		or US-6086618-\$ or US-6085248-\$ or		
	1	US-6079034-\$ or US-6044471-\$ or US-6009467-\$		i l
		or US-5889956-\$ or US-5862338-\$ or	1	
	1	US-5542047-\$ or US-3633169-\$ or US-6314408-\$		
		or US-6377982-\$ or US-6311217-\$ or	1	
		US-5481720-\$ or US-6430619-\$ or US-6377994-\$		
		or US-6292833-\$).did. or (US-6292798-\$ or		
		US-6275825-\$ or US-6189032-\$ or US-6154741-\$		
		or US-6125394-\$ or US-6078955-\$ or		
		US-6055637-\$ or US-5948065-\$ or US-5941948-\$		1
		or US-5925102-\$ or US-5787427-\$ or		
		· · · · · · · · · · · · · · · · · · ·	1	
		US-5761505-\$ or US-5742759-\$ or US-5694595-\$	1	
		or US-5666479-\$ or US-4800488-\$ or	1	
		US-6442608-\$ or US-6412007-\$ or US-6061740-\$		
		or US-5555375-\$ or US-6252878-\$).did. or	1	j l
	1	(US-20020016845-\$).did.	1	

			7	
	16	((US-6073176-\$ or US-6272538-\$ or	USPAT;	2002/10/02 11:36
		US-6349334-\$ or US-6253240-\$ or US-6253236-\$	US-PGPUB	====, ==, == =====
		or US-6243716-\$ or US-6230195-\$ or	***	
ļ		US-6205478-\$ or US-6192405-\$ or US-6151688-\$		
ļ		or US-6086618-\$ or US-6085248-\$ or		
		US-6079034-\$ or US-6044471-\$ or US-6009467-\$		
		l		
		or US-5889956-\$ or US-5862338-\$ or		
		US-5542047-\$ or US-3633169-\$ or US-6314408-\$		
		or US-6377982-\$ or US-6311217-\$ or		
		US-5481720-\$ or US-6430619-\$ or US-6377994-\$		
		or US-6292833-\$) did. or (US-6292798-\$ or		
		US-6275825-\$ or US-6189032-\$ or US-6154741-\$		
		or US-6125394-\$ or US-6078955-\$ or		
		US-6055637-\$ or US-5948065-\$ or US-5941948-\$		
		or US-5925102-\$ or US-5787427-\$ or		
	•	US-5761505-\$ or US-5742759-\$ or US-5694595-\$		
		or US-5666479-\$ or US-4800488-\$ or		
		US-6442608-\$ or US-6412007-\$ or US-6061740-\$		
		or US-5555375-\$ or US-6252878-\$).did. or		
		(US-20020016845-\$).did.) and periodic\$4		
_	1	l ·	USPAT;	2002/10/02 16:14
]	•	US-PGPUB	' ', ' = = = = '
_	l 1	6252878.pn.	USPAT;	2002/10/03 11:45
	1		US-PGPUB	====, ==, ==, ==
<u>-</u>	1	6151688.pn.	USPAT;	2002/10/03 12:05
_		0101000.bu.	US-PGPUB	2002/10/03 12:05
	1	6252878.pn.	USPAT;	2002/10/03 12:29
-		0232076.pm.	US-PGPUB	2002/10/03 12:29
	,	6442608 pp		2002/10/02 12 22
<u> </u>	1	6442608.pn.	USPAT;	2002/10/03 12:29
		5044550	US-PGPUB	((
-	2	5844557.pn. 6442608.pn.	USPAT;	2003/03/11 15:03
	_		US-PGPUB	
-	2	6412007.pn. 6442608.pn.	USPAT;	2003/03/11 15:03
			US-PGPUB	1
-	1	6408336.pn.	USPAT;	2003/03/12 14:47
			US-PGPUB	
-	1	6408336.URPN.	USPAT	2003/03/12 12:13
_	22	("4956769" "5012405" "5263157"	USPAT	2003/03/12 12:15
		"5263158" "5263165" "5652787" °	i	
		"5720033" "5787427" "5787428"		
		"5796951" "5826010" "5835726"		
		"5859978" "5862325" "5898830"		
		"5931917" "5941947" "5991807"		
		"6085191" "6105027" "6178505"]
		"6253251").PN.		1
-	1	6085191.pn.	USPAT;	2003/03/12 14:47
	_		US-PGPUB	= = = = = = = = = = = = = = = = = = =
-	1	6412007.pn.	USPAT;	2003/07/13 16:08
	•	\ \	US-PGPUB	[2303, 0., 13 10.08]
_	2	709/227.ccls. and @ad<19990930 and	USPAT;	2003/12/11 17:14
		709/227.ccis. and @ad<19990930 and 709/226.ccls. and @pd>20030710	US-PGPUB	2003, 12, 11 17:14
<u> </u>	27577	(port or socket) same (ID or identif\$6)	1	2002/12/11 17:10
-	2/5//	(port of socker) same (in of identilise)	USPAT; US-PGPUB	2003/12/11 17:18
	2266	(/newb ex section) seems (TD ex deletion)	l	2003/10/11 15 15
-	2765	((port or socket) same (ID or identif\$6))	USPAT;	2003/12/11 17:19
1		same server	US-PGPUB	
-	959	(((port or socket) same (ID or identif\$6))	USPAT;	2003/12/11 17:19
		same server) same user	US-PGPUB	/
-	57792	(list or table) same (session\$1 or	USPAT;	2003/12/11 17:19
		connection\$1)	US-PGPUB	
-	97	((((port or socket) same (ID or identif\$6))	USPAT;	2003/12/11 17:19
		same server) same user) same ((list or	US-PGPUB	1
		table) same (session\$1 or connection\$1))]
-	51	(((((port or socket) same (ID or identif\$6))	USPAT;	2003/12/11 17:20
		same server) same user) same ((list or	US-PGPUB	
1		table) same (session\$1 or connection\$1)))		
<u> </u>		and @ad<20000930]
-	39	(((((port or socket) same (ID or identif\$6))	USPAT;	2003/12/11 17:20
]		same server) same user) same ((list or	US-PGPUB	
		table) same (session\$1 or connection\$1)))		
		and @ad<19990930		i I
				1

-	371	and (group same (list or table)) and	USPAT; US-PGPUB	2003/12/12 11:01
-	48	<pre>@ad<19990930 707/10.ccls. and (user near2 (list or table)) and (group near2 (list or table))</pre>	USPAT; US-PGPUB	2003/12/12 11:24
-	3	and @ad<19990930 6117188.pn. 6226618.pn. 6002852.pn.	USPAT;	2003/12/12 11:24
-	10575	(port or socket) near2 number	US-PGPUB USPAT; US-PGPUB	2003/12/12 12:43
-	1966	((port or socket) near2 number) same server	USPAT; US-PGPUB	2003/12/12 12:43
-	258	server) same unique	USPAT; US-PGPUB	2003/12/12 12:44
-	52	<pre>(((port or socket) near2 number) same server) same (unique near2 (ID or identification or value))</pre>	USPAT; US-PGPUB	2003/12/12 12:44
-	29	((((port or socket) near2 number) same server) same (unique near2 (ID or	USPAT; US-PGPUB	2003/12/12 13:26
	37	identification or value))) and @ad<19990930 callicrate	USPAT;	2003/12/12 13:26
_	18		US-PGPUB USPAT;	2003/12/15 10:54
		709/225,226,227,229.ccls.	US-PGPUB	
-	16	(714/25,43.ccls. and 709/225,226,227,229.ccls.) and @ad<19990930	USPAT; US-PGPUB	2003/12/15 10:54
-	26	714/25,43.ccls. and 709/223.ccls.	USPAT; US-PGPUB	2003/12/15 11:13
-	21	@ad<19990930	USPAT; US-PGPUB	2003/12/15 10:54
-	4	714/25,43.ccls. and 707/10.ccls.	USPAT; US-PGPUB	2003/12/15 11:12
-	1	714/25,43.ccls. and 713/201.ccls.	USPAT; US-PGPUB	2003/12/15 11:12
-	41	714/25,43.ccls. and 709/224.ccls.	USPAT; US-PGPUB	2003/12/15 11:13
-	23	(714/25,43.ccls. and 709/224.ccls.) not ((714/25,43.ccls. and 709/223.ccls.) and @ad<19990930) not ((714/25,43.ccls. and	USPAT; US-PGPUB	2003/12/15 11:13
-	17	709/225,226,227,229.ccls.) and @ad<19990930) ((714/25,43.ccls. and 709/224.ccls.) not ((714/25,43.ccls. and 709/223.ccls.) and @ad<19990930) not ((714/25,43.ccls. and 709/225,226,227,229.ccls.) and	USPAT; US-PGPUB	2003/12/15 11:21
-	1785	@ad<19990930)) and @ad<19990930 server same (count\$3 or number) near2 (total or max\$4 or threshold)	USPAT; EPO; JPO; DERWENT;	2003/12/15 11:18
-	750	(server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/15 11:19
-	80441	(socket or port) same number	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/15 11:23
-	6799	((socket or port) same number) same (unique or identif\$6)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/15 11:23
-	8	<pre>((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)) same (((socket or port) same number) same (unique)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 11:20
-	4	or identif\$6)) (((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)) same	USPAT; US-PGPUB	2003/12/15 11:24
		(((socket or port) same number) same (unique or identif\$6))) and @ad<19990930		



-	9788	(socket or port) near2 number	USPAT; EPO; JPO; DERWENT;	2003/12/15 11:23
-	2142	((socket or port) near2 number) same (unique or identif\$6)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/28 15:40
-	59	(((socket or port) near2 number) same (unique or identif\$6)) and ((server same	IBM_TDB USPAT; EPO; JPO;	2003/12/15 11:24
		(count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or session\$1)	DERWENT; IBM_TDB	
-	52	<pre>((((socket or port) near2 number) same (unique or identif\$6)) and ((server same (count\$3 or number) near2 (total or max\$4 or threshold)) same (user\$1 or connection\$1 or</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 12:55
-	5213	session\$1))) and @ad<19990930 access near server	USPAT; EPO; JPO; DERWENT;	2003/12/15 12:55
-	68	(access near server) near4 distribut\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/15 12:56
-	525	(access near server) same distribut\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/15 12:56
-	14	((access near server) same distribut\$3) same (error or fail\$3 or crash\$3)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/15 12:56
-	10	(((access near server) same distribut\$3) same (error or fail\$3 or crash\$3)) and @ad<19990930	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/15 12:57
-	1479	log\$4 same server same port	IBM_TDB USPAT; US-PGPUB	2003/12/28 14:53
-	324	(name or id or identification or unique) near4 port same port near2 server	USPAT; US-PGPUB	2003/12/28 14:54
-	181191	(session\$1 or log\$4)	USPAT; US-PGPUB	2003/12/28 15:42
-	62	<pre>((name or id or identification or unique) near4 port same port near2 server) same ((count or total or maximum or number) same (session\$1 or log\$4))</pre>	USPAT; US-PGPUB	2003/12/28 14:55
-	21	(((name or id or identification or unique) near4 port same port near2 server) same ((count or total or maximum or number) same	USPAT; US-PGPUB	2003/12/28 15:37
-	2	(session\$1 or log\$4))) and @ad<19990930 6412007.uref.	USPAT; US-PGPUB	2003/12/28 15:38
-	2450	((socket or port) near2 number) same (unique or identif\$6 or id)	USPAT; EPO; JPO; DERWENT;	2003/12/28 15:40
-	489	(((socket or port) near2 number) same (unique or identif\$6 or id)) same server	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/28 15:41
-	143	<pre>((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/28 15:41
-	0	"L18" same (((((socket or port) near2 number) same (unique or identif\$6 or id)) same server) same (session\$1 or log\$4))	USPAT; US-PGPUB	2003/12/28 15:42

	1
М	
~	

-	136	,,	USPAT;	2003/12/28 15:43
	•	(session\$1 or log\$4)) same ((((socket or	US-PGPUB	
	!	port) near2 number) same (unique or		
	•	identif\$6 or id)) same server) same		
		(session\$1 or log\$4))		
-	38	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/28 15:43
	1	(session\$1 or log\$4)) same ((((socket or	US-PGPUB	
		port) near2 number) same (unique or		
	1	identif\$6 or id)) same server) same		
		(session\$1 or log\$4))) same unique		
-	32	((((count or total or maximum or number)	USPAT;	2003/12/28 15:43
		same (session\$1 or log\$4)) same ((((socket	US-PGPUB	
	1	or port) near2 number) same (unique or		
		identif\$6 or id)) same server) same		
		(session\$1 or log\$4))) same unique) and		
		@ad<19990930		